

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Thomas NILSSON et al.

GAU: 1616

SERIAL NO: 10/603,819

EXAMINER:

FILED: June 26, 2003

FOR: ADMINISTRATION OF MEDICINAL DRY POWDERS

REQUEST FOR PRIORITY

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

- ☐ Full benefit of the filing date of U.S. Application Serial Number , filed , is claimed pursuant to the provisions of 35 U.S.C. §120.
- ☐ Full benefit of the filing date(s) of U.S. Provisional Application(s) is claimed pursuant to the provisions of 35 U.S.C. §119(e): Application No. Date Filed
- ☒ Applicants claim any right to priority from any earlier filed applications to which they may be entitled pursuant to the provisions of 35 U.S.C. §119, as noted below.

In the matter of the above-identified application for patent, notice is hereby given that the applicants claim as priority:

<u>COUNTRY</u>	<u>APPLICATION NUMBER</u>	<u>MONTH/DAY/YEAR</u>
SWEDEN	0301815-7	June 19, 2003

Certified copies of the corresponding Convention Application(s)

- ☒ are submitted herewith
- ☐ will be submitted prior to payment of the Final Fee
- ☐ were filed in prior application Serial No. filed
- ☐ were submitted to the International Bureau in PCT Application Number
Receipt of the certified copies by the International Bureau in a timely manner under PCT Rule 17.1(a) has been acknowledged as evidenced by the attached PCT/IB/304.
- ☐ (A) Application Serial No.(s) were filed in prior application Serial No. filed ; and
- ☐ (B) Application Serial No.(s)
☐ are submitted herewith
☐ will be submitted prior to payment of the Final Fee

Customer Number
22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Joseph A. Scafetta Jr.
Bradley D. Lytle

Registration No. 40,073

Joseph A. Scafetta, Jr.
Registration No. 26, 803

PRVPATENT- OCH REGISTRERINGSVERKET
Patentavdelningen**Intyg
Certificate**

Härmed intygas att bifogade kopior överensstämmer med de handlingar som ursprungligen ingivits till Patent- och registreringsverket i nedannämnda ansökan.

This is to certify that the annexed is a true copy of the documents as originally filed with the Patent- and Registration Office in connection with the following patent application.

(71) Sökande Microdrug AG, Hergiswil NW CH
Applicant (s)

(21) Patentansökningsnummer 0301815-7
Patent application number

(86) Ingivningsdatum 2003-06-19
Date of filing

Stockholm, 2003-07-31

För Patent- och registreringsverket
For the Patent- and Registration Office

Juris Rozitis

Avgift
Fee 170:-

+46 18 153050

Ink. t. Patent- och reg.verke:

1

2004-06-19

Administration of medicinal dry powders

Huvudfaxen Kassar

TECHNICAL FIELD

The present invention relates to a method of administering medicaments by an oral inhalation route to a user in need of doses comprising at least two therapeutic medicinal dry powders, the doses being packaged to suit a new method of aerosolizing a selected combined dose into air and more particularly, the invention relates to a method of simultaneous delivery in a single inhalation by a user of separate dry powder formulations of different medicaments constituting a combined dose.

BACKGROUND

Administration of drugs by an oral inhalation route is very much in focus today, because of advantages offered like rapid and predictable onset of action, cost effectiveness and high level of comfort for the user. There are mainly two types of inhalers on the market, pressurized metered dose inhalers (pMDIs) comprising a suspension of fine medicament particles in a propellant gas and dry powder inhalers (DPIs) comprising fine medicament particles as dry powder.

Dry powder inhalers (DPI) attract perhaps the most interest, compared to pMDIs, because of the flexibility they offer in terms of nominal dose range i.e. the amount of active substance that can be administered in a single inhalation. So far most development efforts have been directed towards producing effective drugs and formulations for specific abnormal conditions and not so much towards developing the delivery device, i.e. the inhaler.

When inhaling a dose of dry medication powder it is important to obtain by mass a high fine particle fraction (FPF) of particles with an aerodynamic size preferably less than 5 μm in the inspiration air. The majority of larger particles does not follow the stream of air into the many bifurcations of the airways, but get stuck in the throat and upper airways. It is not uncommon for prior art inhalers to have an efficacy of 10 - 20 % only, i.e. only 10 - 20 %

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

2

Muvudfaxen Kaseen

of the metered dose by mass is actually delivered as particles with an aerodynamic size less than 5 μm . Since most drugs have undesirable side effects and some may be quite toxic if overdosed, it is important to keep the dosing to the user as exact as possible and to design the delivery system, e.g. an inhaler, such that the efficacy becomes much higher than 10 - 20 %, thereby reducing the required amount of drug in the dose. Also, depending on the targeted site of action, be it systemic or local in the throat and airways, it is desirable to tailor the physical formulation of a medication powder in such a way that it results in an advantageous particle aerodynamic size distribution by mass in the metered dose.

An interesting field of research concerns the possibility of simultaneous administration of combinations of different medicaments. Of course, it is well known in prior art that a successful treatment of a medical condition may require administration of more than one active substance, e.g. a medicament for relaxing the immediate symptoms like pain or bronchoconstriction and another medicament for treating the underlying abnormal condition like systemic chemical imbalance or airway inflammation respectively. However, it is often difficult to mix the medicaments into a metered dose, because the medicaments may be known to be incompatible or else it is perhaps unknown if and how they interact before they are actually delivered to a subject. Therefore, medicaments are generally administered separately, in sequence or by separate routes.

In the past decade research into respiratory diseases, their prophylaxis and treatment, has shown conclusively that simultaneous administration of combinations of different medicaments may improve the clinical condition of patients considerably. In Switzerland patients diagnosed with asthma have been prescribed FORADIL (formoterol, a bronchodilating substance) together with PULMICORT (budesonide, an anti-inflammatory steroid) since the 1980's for treatment of their asthma. Until recently, however, different asthma medicaments have generally been administered separately, in

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

3

Munichhausen-Kaasen

sequence or by separate routes, not in compositions comprising more than one active ingredient. However, there are several published patent applications and approved patents teaching methods of treating respiratory disorders like asthma and chronic obstructive pulmonary disease (COPD) and pharmacologic compositions of different biologic and chemical substances for this purpose, where the combinations offer overall advantages in the treatment of these conditions. See for instance EP 0416950B1 "Medicaments", EP 0416951B1 "Medicaments comprising salmeterol and fluticasone", EP 0613371B1 "New combination of formoterol and budesonid", WO 98/15280 "New combination", WO 00/48587 "Combinations of formoterol and fluticasone propionate for asthma", WO 01/70198A1 "Stabilized dry powder formulations", WO 01/78737A1 "Medical combinations comprising formoterol and budesonid", WO 01/78745A1 "Medical combinations comprising formoterol and fluticasone propionate", WO 02/28368A1 "New combination for the treatment of asthma", WO 03/013547A1 "Pharmaceutical composition comprising salmeterol and budesonid for the treatment of respiratory disorders". However, the quoted documents deal with aspects of formulating, processing, stabilizing and using mixtures of at least two ingredients. The chemical compositions and mixing ratios between active ingredients are generally focused upon, not methods of administration of such compositions or devices for that purpose. It is, however, difficult to mix dry medicament powders and optional excipients in a certain proportion consistently. The proportions in such a metered combined dose cannot be easily controlled, because the ratio of medicaments in an individual, combined dose depends significantly on the particle forces existing in each medicament powder, between particles of different medicaments and between medicament powders and dose packaging materials. Hence, actual variations in the ratio between active ingredients from combined dose to combined dose may be too large, causing serious problems if a potent ingredient is delivered in a higher or lower amount than expected.

Ink. t. Patent- och reg.verket

+46 18 153050

2003-06-19

Huvudfaxen Kassan

4

Thus, there is room for improvements regarding methods and devices for simultaneous administration of different medicaments, which combine advantageously in treatment of certain medical disorders.

SUMMARY

- 5 A method of administering metered dry powder combined doses of finely divided dry medication powders is disclosed. A metered dry powder medicinal combined dose comprising at least two medicaments of separate dry powder formulations is prepared, whereby a metered powder quantity
- 10 per medicament is deposited in a dose forming step, where the sum of the depositions constitute the metered quantity of powder in the medicinal combined dose. The deposits of the at least two medicaments are suitably kept separated from each other, such that the medicaments cannot detrimentally interact after forming of the combined dose, and the medicinal
- 15 combined dose can be introduced into an inhaler device for a delivery of the medicinal combined dose during the course of a single inhalation, whereby the delivered medicinal combined dose is composed to a high degree by mass of de-aggregated fine particles of each of the at least two medicaments.
- 20 Furthermore a therapeutic metered medicinal, combined dosage of finely divided dry medication powders is disclosed wherein the therapeutic, metered combined dosage comprises metered quantities of at least two medicaments, separately deposited; and the medicinal combined dosage is adapted for a user initiated delivery of the combined dosage during the
- 25 course of a single inhalation through an inhaler device. The at least two medicaments of the medicinal combined dosage are aerosolized generally simultaneously or generally sequentially during an inhalation, depending on how the dosage is physically composed, whereby a delivered dosage to a user consists of a high degree by mass of fine particles of each medicament such
- 30 that a large proportion of each medicament settles in the intended target area in the airways and lungs of the user.

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

5

~~Huvudföreläggningen~~

BRIEF DESCRIPTION OF THE DRAWINGS

The invention, together with further objects and advantages thereof, may best be understood by referring to the following detailed description taken together with the accompanying drawings, in which:

5

FIG. 1 illustrates in top and side views a first embodiment of combined doses comprising two medicament deposits in separate compartments onto a dose bed;

10

FIG. 2 illustrates in top and side views a second embodiment of combined doses comprising three medicament deposits in separate compartments onto a dose bed;

15

FIG. 3 illustrates in top and side views a third embodiment of combined doses comprising two parallel medicament deposits onto a dose bed;

20

FIG. 4 illustrates in top and side views a fourth embodiment of combined doses comprising several medicament deposits and separating excipient deposits onto a dose bed;

FIG. 5 illustrates in top and side views a fifth embodiment of combined doses comprising four medicament deposits and separating excipient deposits onto a dose bed;

25

FIG. 6 illustrates in top and side views a sixth embodiment of combined doses comprising two parallel medicament deposits on top of one another onto a dose bed;

30

FIG. 7 illustrates in top and side views a seventh embodiment of combined doses comprising two medicament deposits on top of

+46 18 153050

Sve. l. Patent- och reg.verket

6

2003-06-19 one another onto a dose bed, but separated by a deposit of an
Huvudföremålet Kassen excipient;

FIG. 8 illustrates in top and side views another embodiment of a
5 combined dose comprising two medicaments separately deposited
onto a dose bed;

FIG. 9 illustrates in top and side views yet another embodiment of a
10 combined dose comprising two medicaments separately deposited
onto a dose bed, but with some degree of overlap;

FIG. 10a illustrates in a sectional view an example of a combined dose
15 comprising two medicament deposits on top of one another but
separated by a deposit of an excipient onto a dose bed and
adjacent to the combined dose a nozzle in a starting position
before the combined dose is released; and

FIG. 10b illustrates in a sectional view an example of a combined dose
20 comprising two medicament deposits on top of one another but
separated by a deposit of an excipient onto a dose bed and
adjacent to the combined dose a nozzle in a relative motion
sucking up the powder particles to be dispersed into the air
stream.

25 DETAILED DESCRIPTION

26 The present invention is based on a new method of forming combined doses
comprising more than one medicament deposited onto a dose bed and a new
method of delivering such combined doses by an inhalation route to a user
30 of a dry powder inhaler (DPI).

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

7

~~Huvudfaxen Kassen~~
In the context of this application the word "medicament" is defined as a pharmacological substance, which comprises at least one chemically or biologically active agent. Further, a medicament may exist in a pure form of one or more pure active agents, or a medicament may be a compound comprising one or more active agents, optionally formulated together with other substances, e.g. enhancers, carriers, diluents or excipients. From this point on, the term "excipient" is used to describe any chemical or biologic substance mixed in with a pure active agent for whatever purpose. In this document, only medicaments in dry powder form are discussed.

10

A "dose bed" is henceforth defined as a member capable of harboring a metered dose of one or more dry powders, where the dose is intended for a delivery to a user of a DPI in a single inhalation performed by the user. In the present invention a combined dose comprises metered deposits of at least two medicaments. The dose bed may be divided in several areas or incorporate two or more compartments intended for deposits of dry powders. In a preferred embodiment the combined dose is packaged for a continuous, prolonged delivery, i.e. the delivery period is in a range 0.01 to 6 s, usually in a range 0.1 to 2 seconds, delivery taking place sometime during the course of an inhalation as controlled by a purposefully designed DPI. Advantageously, such a DPI adopts an Air-razor method of gradual aerosolization of the combined dose comprising introduction of a relative motion between an air-sucking nozzle and the powder dose. Advantages of a prolonged delivery of a dose for inhalation are disclosed in our US Patent No. 6,571,793 (WO 02/24264 A1), which is hereby incorporated in this document in its entirety as a reference.

25

A preferred embodiment of a metered combined dose uses a dose bed split up in at least two separate compartments, where each compartment is intended for a metered deposition of a particular medicament. Each compartment containing a metered amount of a specified medicament powder may then be sealed, e.g. by foiling, such that the different

30

+46 18 153050

Int. t. Patent- och reg.verket

2003-06-19

8

~~Medicaments~~ in the different compartments of the dose bed cannot interact in any way and can not be contaminated by foreign substances or moisture. Alternatively, a common foil encloses all compartments, but sealing between compartments may be excluded if individual sealing is not a requirement. A dose carrier is normally engaged to carry at least one dose bed loaded with a dose, whereby the dose carrier may be inserted into a DPI for administering a combined dose or doses sequentially to a user in need of treatment. A suitable carrier of doses is disclosed in our Swedish patent publication SE 0517 806 C2 (WO01/34233 A1), which is hereby incorporated in this document in its entirety as a reference. However, a dose bed may be designed to act as a carrier, intended for direct insertion into a DPI. A suitable DPI for a continuous dose delivery is disclosed in our US patent No. 6,422,236 B1, which is hereby incorporated in this document in its entirety as a reference.

15

If complete physical separation of the deposits of the different medicaments making up the combined dose is not required, but some degree of overlap or mixing is acceptable from a physical, chemical and medical point of view, then other methods of separating the deposits may be implemented.

20

Depending on what degree of mixing is permitted different ways of separating deposits must be adopted. For example, in one embodiment, the different medicaments may be deposited in parallel strings onto the dose bed. The dose bed may use separate indentations where the powder should be deposited, but flat target areas for deposits in a single plane on the dose bed

25

are equally possible. In another embodiment the different medicaments are deposited sequentially dot-wise or string-wise onto different target areas of the dose bed. Yet another way of depositing the medicaments would be on top of one another, in layer by layer, such that each medicament is deposited on top of the previously deposited one. If necessary, to stop chemical or biological interaction or decomposition caused by, for example, adjacent medicament powders being incompatible, an isolating layer of a biologically acceptable, inert substance like carbohydrates, e.g. glucose or lactose, may

30

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

9

be deposited between adjacent layers of medicament. A similar method of separation may also be used to positively separate adjacent dots or strings of medicaments, by depositing an inert substance between adjacent dots or strings of different medicament deposits onto the dose bed. When the combined dose has been completely formed it is usually sealed from ingress of dirt and moisture by a foil covering the entire dose bed. A method of depositing microgram and milligram quantities of dry powders using electric field technology is disclosed in our US Patent Application No. 2003/0012865 A1, which is hereby incorporated in this document in its entirety as a reference.

Forming a combined dose comprising at least two medicaments in separate dry powder formulations may be done in different ways, known in prior art. The invention discloses that the components of the combined dose, i.e. the at least two medicaments need not be mixed or processed together prior to dose forming and, indeed, should normally be kept separated during dose forming as well as after the combined dose is formed and sealed. The medicaments of the combined dose are thus kept separated on the dose bed by a suitable method, as described in the foregoing, until the combined dose is about to be delivered by an inhalation route to a user.

Methods of dose forming include conventional mass or volumetric metering and devices and machine equipment well known to the pharmaceutical industry for filling blister packs, for example. See European Patent No. EP 0 319 131 B1 and US Patent No. 5,187,921 for examples of prior art in volumetric and/or mass methods and devices for producing doses of medicaments in powder form. Electrostatic forming methods may also be used, for example as disclosed in US Patent No. 6,007,630 and US Patent No. 5,699,649. Any method capable of producing metered micro- and milligram quantities of dry powder medicaments may be used, even completely different methods may be applied to suit the different medicaments selected to be part of the combined doses to be produced. Total

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

10

mass in the combined dose according to the present invention is typically in a range from 50 µg to 50 mg. Regardless of which forming and filling method is being used for a particular medicament, it is important during dose forming to make sure that intended medicaments are individually metered and deposited onto their respective target areas or compartments of the dose bed. The target areas or compartments of the dose bed, which combine to hold a dose, may be of same or differing sizes. The shape of compartments is governed by physical constraints defined by the type of dose bed used. As an example, a preferred type of dose bed is an elongated strip of a biologically acceptable, inert material, e.g. plastic or metal, between 5 and 50 mm long and between 2 and 10 mm wide. The strip is further divided in separate target areas or compartments arranged along the length of the elongated strip. The dose bed or, if necessary each compartment, receives an individual seal, for instance in the form of a foil, in a step immediately subsequent to the dose forming.

An advantage of the present invention is that a potentially interesting medicament may be individually selected on merits of its own for inclusion in a combined dose, in disregard of whether or not it is chemically or biologically compatible with other potentially interesting medicaments. The combined dose may be designed to include medicaments, which have proven medical effects of different, desirable kinds, even though the selected medicaments may be chemically or biologically incompatible or unstable in the form of a mixture. Thus, the regulatory process before introducing combined doses of medicament combinations on the market may be drastically simplified. Yet another advantage of the invention is the possibility of using pure, more or less potent medication substances as selected medicaments of the combined dose, without included excipients. Non-exclusive, illustrative examples not limiting the scope of the invention of suitable typical medicaments for treatment of asthma and COPD to be combined in single combined doses in accordance with the present invention are listed below:

Ink. t. Patent- och reg.verket

2003-06-19

11

~~Mundlösen Kasean~~
 Formoterol and Budesonide
 Formoterol and Ipratropium
 Formoterol and Fluticasone
 5 Formoterol and Tiotropium
 Ipratropium and Budesonide
 Ipratropium and Salbutamol

10 Illustrative examples, not limiting the scope of the invention and analogous
 with respiratory medicaments of suitable medicaments for pain control,
 which may be advantageously combined to be combined in single combined
 doses according to the present invention, include non-exclusively:

Almotriptan
 15 Analgesics
 Anticonvulsants
 Antidepressants
 Antiemetics
 Aspirin (lysine acetylsalicylic acid)
 20 Betablockers
 Calcium channel antagonists
 Codeine
 DHE
 Domperidone
 25 Eletriptan
 Ergotamine
 Frovatriptan
 Metoclopramide
 Naratriptan
 30 Isometheptene
 Opiates
 Paracetamol

+46 18 153050

12

Ink. t. Patent- och reg.verket

Rizatriptan

2003 -06- 1 9

Serotonin

Sumatriptan

Huvudföreskrifsen

Tryptans

5 Zolmitriptan

Optimal dosages of the respective active substances for prevention or treatment of disorders may be determined by those skilled in the art, and will vary with the type of disorder, selected compounds and their respective

10 potency, and the advancement of the disease condition. Furthermore, factors associated with the individual undergoing treatment determine correct dosages, such as age, weight, sex etc. Depending on what are correct dosages, the correct deposits by mass for the prepared medicaments may be calculated, such that metered deposits of each medicament to be included in

15 the metered combined dose may be produced in a dose-forming step. In calculating a correct nominal deposit of mass for each medicament component the fine particle fraction, i.e. particles having a mass median aerodynamic diameter (MMAD) less than 5 μm , per component of the actual delivered dose must be taken into consideration. As discussed in the

20 foregoing, the efficacy of inhalers differs considerably and it is thus important to include the expected efficacy of the chosen inhaler in the calculation of what is a suitable nominal mass deposit. Another parameter to consider when forming the combined dose is the physical formulation of included medication powders. Formulation objectives may differ for the

25 different medicament components of the combined dose. The particle aerodynamic size distribution by mass may be targeted differently for the different dose components in order to optimize the efficacy of each component in the treatment of a particular disease in a host user. For instance, the MMAD for a steroidal medicament component should be larger

30 than that of a bronchodilating medicament component. Whereas maximum penetration into the lungs is required of a bronchodilator, a minimum of

Ink. t. Patent- och reg.verket +46 18 153050

2003-06-19

Huvudfaxen Kassen

13

systemic absorbance and maximum local deposition in the targeted area of the airways is required of the steroid.

5 Compared to prior art, more opportunities are opened up by the present invention in selecting medicaments based on existing compositions with proven medical effects, rather than first developing a mixture or formulation of different medicaments and then proving that the new combination is effective, stable and lacks serious side effects. The present invention makes it possible to define combined doses using any combination of pure
10 medicaments, i.e. pure pharmacologic agents, and medicaments comprising excipients. A combined dose thus formed onto a dose bed may be introduced into a dry powder inhaler (DPI) such that the medicament components making up the combined dose may be aerosolized and delivered in the inspiration air during the course of an inhalation through the DPI by a user.

15

The invention also offers interesting opportunities for combinations of new medicaments and combinations of new medicaments with existing, proven ones. Keeping the different medicaments separated according to the invention may reduce the investment in time and resource necessary for
20 getting the combined medicaments approved by the relevant regulatory bodies and released to the respective markets. For instance, no added substance to stabilize the combined product will be needed and no testing to prove that the added substance is harmless needs be performed. New areas of therapy are thus now suitable for treatment by inhalation. Besides
25 asthma, COPD and pain, other examples not limiting the scope of the invention, of medical areas of therapy, where combinations of medicaments administered in single combined doses by an inhalation route may improve the quality of treatment, lower the costs and make life for patients more comfortable, are non-exclusively:

30

Disorders of the alimentary tract or the digestive system

Disorders of the cardiovascular system

+46 18 153050

14 Ink. t. Patent- och reg.verket

2013-06-19

Huvudfaxen Kassa

Disorders of the endocrine system

Disorders of the respiratory system

Genital or sexual disorders

Disorders of the muscular or neuromuscular system

5 Disorders of the

Psychosomatic disorders

Anti-infectives

Allergic disorders

Protective or antinoxious agents

10

The present invention differs from prior art inhalers and related dose delivery methods by providing a combined dose comprising two or more separate medicaments, more or less separately deposited onto a dose bed. The combined dose is therefore not a composition of medicaments constituting a

15 single physical entity, but rather two or more physical entities contained in a single dose. Inserted into a DPI, the combined dose will be aerosolized such that the entities of the dose, i.e the medicaments, are delivered mostly sequentially or optionally mostly simultaneously into the inspiration air during an inhalation by a user. Whether medicaments included in a

20 combined dose are aerosolized mainly sequentially or mainly simultaneously depends partly on the physical form of the combined dose, i.e. how the medicament deposits are interrelated and partly on what type of inhaler is used to administer the combined dose. It is obvious that an inhaler, which subjects all of the combined dose to a jet-stream of air will aerosolize the

25 included deposits simultaneously and more or less mixed, whereas an inhaler subjecting the combined dose to a jet stream gradually, like a moving tornado, thereby not attacking all of the combined dose at once, may aerosolize the deposits of the dose gradually over time. An object of the invention is to offer better control of combined dose release and to facilitate a

30 prolonging of the dose delivery in order to produce a high fine particle fraction (FPF) in the delivered, combined dose. Another object of the invention is to achieve a high ratio of delivered, combined dose relative

+46 18 153050

Ink. t. Patent- och reg.verket

2003 -06- 1 9

15

Huvudförfattaren Kesson

metered combined dose. Although it is possible to successfully apply the invention to prior art inhalers, these tend to deliver the dose in too short a time, resulting in a poor FPF figure and low efficacy. On the other hand, a gradual dose delivery is possible using a new inhaler design where a relative movement is introduced between the dose and a suction nozzle through which the inspiration airflow is channeled. This arrangement utilizes the inhalation effort of the user to aerosolize the combined dose gradually for a prolonged period, thus using the power of the suction more efficiently and eliminating in most cases a need for external power to aerosolize the combined dose.

A powder Air-razor method is advantageously used for aerosolizing the medicament powders in the combined dose, the Air-razor providing de-aggregation and dispersal into air of the finely divided medication powders. Utilizing an effort of sucking air through a mouthpiece of an inhaler, said mouthpiece connected to a nozzle, the particles of the deposited medicament powders, made available to the nozzle, are gradually de-aggregated and dispersed into a stream of air entering the nozzle. The gradual de-aggregation and dispersal is produced by the high shearing forces of the streaming air and a relative motion introduced between the nozzle and the powders of the combined dose. In a preferred embodiment, the medicament powders are deposited onto a dose bed, such that the powder deposits occupy a larger area than the area of the nozzle inlet. The nozzle is preferably positioned outside the deposited area, not accessing the powder by the relative motion until the air stream into the nozzle, created by the suction, has passed a threshold flow velocity. Coincidental with the application of the suction or shortly afterwards the relative motion will begin such that the nozzle traverses the powder dose gradually. The high velocity air going into the nozzle inlet provides plenty of shearing stress and inertia energy as the flowing air hits the leading point of the border of the contour of the first medicament deposit. This powder Air-razor method, created by the shearing stress and inertia of the air stream, is so powerful that the particles

+46 18 153050

Ink. t. Patent- och med. verkst

2003-06-19

16

Huvudföreläsning

in the particle aggregates in the powder adjacent to the inlet of the moving nozzle are released, de-aggregated to a very high degree as well as dispersed and subsequently entrained in the created air stream going through the nozzle. If the medicament deposits have been made in separate
5 compartments of the dose bed and individually sealed, then obviously the compartments must be opened up first so that the nozzle can access the deposited powder in each compartment when suction is applied. Naturally, this is also true if the deposits share a common seal without an individual seal for each deposit. An arrangement for this purpose is disclosed in our
10 Swedish patent publication SE 517 227 C2 (WO 02/24266 A1), which is hereby incorporated in this document in its entirety as a reference. Depending on how the deposits are laid out on the dose bed, the nozzle will either suck up the deposits sequentially or in parallel or in some serial/parallel combination.

15

Thus, the quality of combined dose delivery is dramatically improved compared to prior art performance, and leading to important advances in delivering a majority of fine particles of the medicaments of the combined dose to the intended target area or areas in the user's airways and lungs
20 with very little loss of particles settling in the throat and upper airways. Administering medicament combinations according to the present invention has a very positive therapeutic effect from a medical, psychological and social point of view on a host in need of treatment with a combination of at least two medicaments.

25

Detailed descriptions of drawings

Referring to reference numbers 1 - 100 of the drawings wherein like numbers indicate like elements throughout the several views of ten different embodiments of a combined dose comprising at least two deposits of at least
30 two medicaments onto a dose bed as illustrated in Figures 1 - 10 presented here as non-limiting examples.

+46 18 153050

Ink. t. Patent- och reg.verket

2003-06-19

17

Myvudfarna Kassen

Figure 1 illustrates a combined dose **100** comprising two different medicament deposits, **1** and **2**, in separate compartments **21** and **22** onto a dose bed **20**, which may be capsules or blisters or moldings in the dose bed. An individual seal **13** for each compartment guarantees that the medicaments cannot be contaminated by foreign matter or by one another. The illustrated deposits are intended for a sequential delivery taking place during an inhalation.

Figure 2 illustrates a combined dose **100** comprising three different medicament deposits, **1**, **2** and **3** in separate compartments **21**, **22** and **23** similar to Figure 1, but arranged underneath the dose bed **20**. Besides a different arrangement of compartments on the dose bed **20** and the respective seals **13**, the main difference between Figure 1 and Figure 2 is that deposit **3** may consist of a different medicament from deposits **1** and **2** or it may consist of either the medicament of deposit **1** or **2**. It is thus possible not only to administer more than one medicament, but also to compose combined doses of e.g. two medicaments with a very high ratio of mass between them. The illustrated deposits are intended for a sequential delivery taking place during an inhalation.

20

Figure 3 illustrates a combined dose **100** comprising two different medicament deposits, **1** and **2**, laid out in parallel strips onto separate target areas **11** and **12** respectively onto the dose bed **20**. A common protective foil **13** protects the medicaments of the combined dose from being contaminated by foreign matters. The illustrated deposits are intended for a fully simultaneous delivery of the two medicaments taking place during an inhalation.

30

Figure 4 illustrates a combined dose **100** comprising two different medicaments, **1** and **2**, each comprising several deposits separated by deposits of an inert excipient **3**. The deposits are laid out in a string of spots onto a target area **11** on a dose bed **20**. The deposits share a common seal

+46 18 153050

Ink. t. Patent- och reg.

2003-06-19

18

Huvudföreläsning

13. The combined dose is intended for a sequential delivery of incorporated medicament spots, said delivery taking place during an inhalation. The excipient deposits help to minimize unintentional mixing of the medicaments. If some mixing of medicaments can be accepted, then the excipient may be left out altogether. Combined doses composed of spot deposits may of course comprise more medicaments than two. The mass ratio between medicaments may be easily set by controlling the ratio between the number of spots per medicament in combination with the size of the respective spots in terms of deposited mass. Naturally the spots need not necessarily be circular in shape, they may take an elongated or elliptical form, depending on which type of dose forming method is used.

Figure 5 illustrates a combined dose 100 comprising deposits of four different medicaments, 1, 2, 4 and 5, separated by deposits of an inert excipient 3. The deposits are laid out in two parallel groups of two in-line strips of medicament onto a common target area 11 on a dose bed 20. The deposits share a common seal. The excipient deposits help to minimize unintentional interaction of the medicaments. The combined dose is intended for a combined parallel/simultaneous and sequential delivery of incorporated medicament strips, said delivery taking place during an inhalation.

Figure 6 illustrates a combined dose 100 comprising two different medicaments, 1 and 2, each comprising a strip of deposited powder, medicament 1 deposited onto a target area 11 of a dose bed 20 and medicament 2 deposited on top of the deposit of medicament 1. This method of dose forming is an alternative to the ones previously disclosed and may be used when a certain level of interaction of the medicaments can be tolerated.

Figure 7 illustrates a combined dose 100 comprising two different medicaments, 1 and 2, and an excipient 3, each comprising a strip of deposited powder. Medicament 1 is deposited onto a target area 11 of a dose

2003-06-19

19

Huvudföreläsning

bed **20** and excipient **3** is deposited onto medicament **2** to insulate medicament **1** from a deposit of medicament **2** on top of the deposits of medicament **1** and excipient **3**. This way of forming doses is not restricted to include only two medicaments, but several medicaments may be deposited
5 on top of one another, if necessary with an insulating deposit of excipient between layers.

Figure 8 illustrates a combined dose **100** comprising two different medicament deposits, **1** and **2**, of somewhat irregular shapes but separately
10 laid out onto a common target area **11** of the dose bed **20**. The illustrated deposits are intended for a sequential delivery of the two medicaments taking place during an inhalation.

Figure 9 illustrates a combined dose **100** comprising two different medicament deposits, **1** and **2**, of somewhat irregular shapes but generally
15 separately laid out onto a common target area **11** of the dose bed **20**. The illustrated deposits overlap slightly, resulting in a arbitrary mixture **9**. The deposits are intended for a mostly sequential delivery of the two medicaments taking place during an inhalation.

20

Figure 10a and 10b illustrate a delivery of a combined dose **100** comprising two different medicaments, **1** and **2**, and an excipient **3**, each comprising a strip of powder sequentially deposited in three different layers. A nozzle **25** with an established flow of air **26** going into it is put in a relative motion,
25 parallel to the dose bed **20**, such that the nozzle passes over the combined dose beginning at the right side **R** and ending at the left side **L** of the dose bed. This Air-razor method results in a simultaneous, gradual delivery of medicaments **1** and **2** together with the excipient **3**. The powders of the deposits are mixed into an aerosol **27** by the air flowing into the nozzle
30 leading to simultaneous delivery of the two medicaments and the excipient. This Air-razor method may be applied to all embodiments of the present invention and results in a simultaneous or sequential or a combined

+46 18 153050

Ink. i Patent- och register

2003-06-19

Huvudföretag

20

simultaneous/sequential delivery of all included medicaments and optional excipients.

5499000

+46 18 153050

Ink t Patent- och

2003 -06- 1 5

Huvudföreläsning

21
CLAIMS

1. A method of administering metered dry powder combined doses of finely divided dry medication powders, **characterized** by the steps of

5 preparing a metered dry powder medicinal combined dose comprising at least two medicaments of separate dry powder formulations, whereby a metered powder quantity per medicament is deposited in a dose forming step, where the sum of the depositions constitute the metered quantity of powder in the medicinal combined dose;

10 keeping the deposits of the at least two medicaments suitably separated from each other, such that the medicaments cannot detrimentally interact after forming of the combined dose;

introducing the medicinal combined dose into an inhaler device for a delivery of the medicinal combined dose during the course of a single
15 inhalation, whereby the delivered medicinal combined dose is composed to a high degree by mass of de-aggregated fine particles of each of the at least two medicaments.

2. The method according to claim 1, **characterized by** the further
20 step of

selecting a continuous dry powder inhaler (DPI) designed for a prolonged delivery of the medicinal combined dose to a user inhaling once through the DPI.

25 3. The method according to claim 1 or 2, **characterized by** the further step of

selecting a dry powder inhaler (DPI) designed for a single delivery of a combined dose.

30 4. The method according to claim 1 or 2, **characterized by** the further step of

+46 18 153050

Ink. t. Patent- och reg.verk.

2003-06-19

22

Huvudfaxen Kasean

selecting a continuous dry powder inhaler (DPI) designed for sequential delivery of two or more medicinal combined doses, each delivery initiated by a user.

5 5. The method according to claim 1, 2, 3 or 4, **characterized by** the further step of

applying an Air-razor method of aerosolizing the combined dose, such that a high percentage of the metered combined dose mass is delivered to a user inhaling through a dry powder inhaler (DPI).

10

6. The method according to claim 1, 2, 3 or 4, **characterized by** the further step of

applying an Air-razor method of aerosolizing the combined dose, such that a high proportion of each of the at least two medicaments of the metered combined powder dose settle in the intended target areas in the
15 airways and lungs of the user.

7. The method according to claim 1, **characterized by** the further step of

20 utilizing a dry powder formulation of a pure, chemical or biologic agent in at least one of the at least two medicaments of the medicinal combined dose.

8. The method according to claim 1, **characterized by** the further step of

25 utilizing at least one of the at least two medicaments in a form of a dry powder compound consisting of an effective amount of a pure, chemical or biologic agent mixed with suitable excipients.

30 9. The method according to anyone of the claims 1, 7, or 8, **characterized by** the further step of

+46 18 153050 Ink. t. Patent- och reg.verke.

2014-06-19

23 Huvudfaxen Kassan

forming a dose bed as a blister pack designated to accept deposits of the medicaments making up the metered combined dose.

10. The method according to anyone of the claims 1 or 9,
5 **characterized by** the further step of

providing each separate deposit with a separate seal to prevent interaction between the deposited medicaments.

11. A therapeutic metered medicinal, combined dosage of finely
10 divided dry medication powders, **characterized** in that

the therapeutic, metered combined dosage comprises metered quantities of at least two medicaments, separately deposited;

the medicinal combined dosage is adapted for a user initiated delivery of the combined dosage during the course of a single inhalation
15 through an inhaler device;

the at least two medicaments of the medicinal combined dosage are aerosolized generally simultaneously or generally sequentially during an inhalation, depending on how the dosage is physically composed, whereby a delivered dosage to a user consists of a high degree by mass of fine particles
20 of each medicament such that a large proportion of each medicament settles in the intended target area in the airways and lungs of the user.

12. The therapeutic metered medicinal, combined dosage according
25 to claim 11, **characterized in** that

at least one of the at least two medicaments in a dry powder formulation is composed of a pure, chemical or biologic agent.

13. The therapeutic metered medicinal, combined dosage according
30 to claim 11, **characterized in** that

+46 18 153050

Ink. t. Patent- och reg.verket

2003 -06- 1 9

24

Huvudföreläggningen

at least one of the at least two medicaments is presented in form of a dry powder compound consisting of an effective amount of a pure, chemical or biologic agent mixed with suitable excipients.

5 14. The therapeutic metered medicinal, combined dosage according to anyone of the claims 11, 12 or 13, **characterized in that**

an Air-razor method of aerosolizing the combined dosage is applied such that a high percentage of the metered combined dosage mass is delivered to a user inhaling through a dry powder inhaler (DPI).

10

15. The therapeutic metered medicinal, combined dosage according to anyone of the claims 11, 12 or 13, **characterized in that**

an Air-razor method of aerosolizing the combined dosage is applied such that a high proportion of each of the at least two medicaments of the
15 metered medicinal dosage settles in the intended target areas in the airways and lungs of the user.

16. The therapeutic metered medicinal, combined dosage according to claim 11, **characterized in that**

20 a dose bed is formed as a blister pack, where the dose bed is designed to accept deposits of the medicaments making up the metered medicinal combined dosage.

17. The therapeutic metered medicinal combined dosage according to claim 11, **characterized in that**

25 each separate deposit of a medicament is provided with a separate seal to prevent interaction between deposited medicaments.

18. A therapeutic metered medicinal, combined dosage of finely
30 divided dry medication powders in a medicinal, combined dose, **characterized in that**

Ink. t. Patent- och reg.verket

+46 18 153050

2003-06-19

Huvudfaxen Kassen

25

at least two medicaments are selected and metered to form the medicinal, combined dose, each for a particular therapeutical purpose of treating a host in need of treatment;

the medicinal, combined dosage is administered by inhalation to a host user, whereby the medicaments of the medicinal, combined dose are delivered simultaneously or in sequence during the course of a single inhalation;

a combined therapeutical effect of the inhaled medicinal, combined dose comprising at least two medicaments is medically, psychologically or socially beneficial to the host user in need of such combined treatment.

19. The therapeutic metered medicinal, combined dose according to claim 18, **characterized in that**

an Air-razor method of aerosolizing the medicinal, combined dose is applied such that a high percentage of metered combined dose mass is delivered to a user inhaling through a dry powder inhaler (DPI).

20. The therapeutic metered medicinal, combined dose according to claim 18, **characterized in that**

an Air-razor method of aerosolizing the combined dose is applied, such that a high proportion of each of the at least two medicaments of the metered powder settles in the intended target areas within airways and lungs of the host user.

Ink. t. Patent- och reg.verket

26

2003 -06- 1 9

ABSTRACT

Huvudfaxen Kassen

A method as well as a therapeutic metered combined dose are disclosed for a combined administration of medicinal dry powders. A metered medicinal dry powder combined dosage comprising at least two medicaments of separate dry powder formulations is prepared, whereby the metered powder quantity per medicament is deposited in a dose forming step creating the medicinal combined dose. The deposits of the at least two medicaments are suitably kept separated from each other, such that the medicaments cannot detrimentally interact after forming of the combined dose, and the medicinal combined dose is introduced into an inhaler device for a delivery of the powder dose during the course of a single inhalation.


The therapeutic metered medicinal, combined dosage of finely divided dry medication powders disclosed comprises metered quantities of at least two medicaments, separately deposited and the medicinal combined dosage is adapted for a user initiated delivery of the dosage during a single inhalation through an inhaler device. The at least two medicaments of the medicinal combined dosage will generally be aerosolized simultaneously or sequentially during the inhalation such that a large proportion of each medicament will settle in the intended target area of the airways and lungs of a user.

1/10

Ink. t. Patent- och reg.verket

2003 -06- 1 9

Huvudfaxen Kassan



A-A

Fig. 1


2003-06-19

2/10

Ink. t. Patent- och reg.verket

2003-06-19

Huvudfaxen Kasse



A-A

Fig. 2

030619 15:15 FAX +46 18 153050

+46 18 153050

ink. t. Patent- och reg. verk

7103 -06- 1 9

Huvudfaxen Kassa




Fig. 3

Ink. t. Patent- och reg.verket

4/10

2003-06-19

Huvudfaxen Kassan




Fig. 4

2003-06-19

5/10

Ink. t. Patent- och reg.verket

2003-06-19

Huvudfaxen Kassen




Fig. 5

Ink. t. Patent- och reg.verket

2003-06-19

Huvudfören Kassa




Fig. 7

8/10

Ink. t. Patent- och reg.verket

2014-06-19

Huvudfaxen Kasse




Fig. 8

Ink. t. Patent- och reg.verket

2003-06-19

Huvudfaxen Kassan

9/10




Fig. 9

Ink. t. Patent- och reg.verket

10/10

2003-06-19

Huvudfaxen Kaseen




Fig. 10a




Fig. 10b